










Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>HL308 digital thermostat</p> <p>3110</p>	3110131HA308TLS2	HAILIN DIGITAL FCU THERMOSTAT HA308-TL-S2	37,20
 <p>HL2008 fcu controller</p> <p>3110</p>	3110131HL2008DBTL	HAILIN FCU DIGITAL THERMOSTAT HL2008 DB-TL	37,20
 <p>HL2018 fcu programmable thermostat</p> <p>3110</p>	3110131HL2018DBTL	HAILIN TOUCH SCREEN PROGRAMMABLE FCU THERMOSTAT HL2018	55,57
 <p>BREATH fcu thermostat</p> <p>3110</p>	3110131HL2028DB	HAILIN TOUCH SCREEN FCU THERMOSTAT BREATH HL2028DB	139,48
 <p>HEATING/COOLING FCU THERMOSTAT WITH 3-SPEED FAN</p>	3110132AC304FDA	TELIN HEATING/COOLING FCU THERMOSTAT WITH 3-SPEED FAN AC304F-DA Heating/ Cooling On/Off control of fan coil unit ans 2-wire or 3-wire motorized valve with 3speed fan	20,00
	3110132TL810F	TELIN FAN COIL THERMOSTAT TL810F Heating/ Cooling On/Off control of fan coil unit ans 2-wire or 3-wire motorized valve with 3speed fan	30,00
 <p>RTS-1-400 fan speed regulator & thermostat</p> <p>3110</p>	3110221RTS1400	VENTS ELECTRONIC FCU TEMPERATURE CONTROL RTS-1-400	52,16





Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>RTSD-1-400 fan speed regulator & thermostat</p>	3110221RTSD1400	VENTS ELECTRONIC FCU TEMPERATURE CONTROL RTSD-1-400	58,97
 <p>ELECTRONIC FAN COIL THERMOSTAT DIAMOND SERIES TFD01MISE 230V</p>	3110566TFD01MSE	SEITRON ELECTRONIC FAN COIL THERMOSTAT DIAMOND SERIES TFD01M1SE 230V	74,00
 <p>A3101 - A3102 touch screen programmable thermostat</p>	3111131A3101	HAILIN TOUCH SCREEN PROGRAMMABLE THERMOSTAT A3101	117,94
 <p>A3101 - A3102 touch screen programmable thermostat</p>	3111131A3102	HAILIN TOUCH SCREEN PROGRAMMABLE THERMOSTAT A3102	141,19
 <p>A3511 digital thermostat</p>	3111131A3511	HAILIN DIGITAL THERMOSTAT A3511	40,82
 <p>HA202 electronic thermostat</p>	3111131HA202	HAILIN DIAL THERMOSTAT HA202	21,37
	3111132AC630RHWIFI	TELIN ROOM THERMOSTAT FOR FLOOR HEATING WITH WIFI AC630	80,00





Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
	3111221RT10	VENTS THERMOREGULATOR THERMOSTAT RT-10	29,48
	3111566GCW03MR	SEITRON PROGRAMMABLE THERMOSTAT WI-FI WI-TIME WALL Wi-Time Wall is a wall mounted Wi-Fi programmable thermostat. Main features: - App remote control - Weekly schedule - Works with Alexa and Google Home - 230V power supply	177,00
	3111566GIW01MR	SEITRON WI-TIME WIFI PROGRAMMABLE THERMOSTAT - WEEKLY BLACK COLOR GIW01MR GIW01MR = Black Color Semi-recessed WiFi chronothermostat powered at 230V for hot / cold operation, with weekly programming that can be set via the Seitron Smart App. Antifreeze function. Boost function 30-60-90min. Functions for hotels and b & bs with settings lock and temperature adjustment range limitation. Possibility of expanding some features by pairing via radio with one or two switchON devices.	163,78





Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>wi-time GIW01</p>	3111566GIW02MR	<p>SEITRON WI-TIME WIFI PROGRAMMABLE THERMOSTAT - WEEKLY WHITE COLOR GIW02MR</p> <p>GIW02MR = White Color</p> <p>Semi-recessed WiFi chronothermostat powered at 230V for hot / cold operation, with weekly programming that can be set via the Seitron Smart App. Antifreeze function. Boost function 30-60-90min. Functions for hotels and b & bs with settings lock and temperature adjustment range limitation. Possibility of expanding some features by pairing via radio with one or two switchON devices.</p>	163,78
 <p>switch-on GS001M</p>	3111566GS001M	<p>SEITRON SWITCH ON WI-FI SWITCH GS001M</p> <p>SwitchON is a Wi-Fi switch for the home automation, with a double functionality. It can be configured as wi-fi IoT switch (remote switch).</p>	105,30
 <p>KIT HYGGE HOME-KTY</p>	3111566KTY001	<p>SEITRON WIRELESS THERMOSTAT KIT HYGGE HOME KTY001</p> <p>Hygge Home system allows to control the domestic heating through the wireless thermostat that can be easily moved in any room! When being away from home, you can keep the temperature under control on your smartphone thanks to Seitron Smart App.</p>	237,22
 <p>Battery TAD02B</p>	3111566TAD02B	<p>SEITRON BATTERY POWERED DIGITAL THERMOSTAT TAD02B</p> <p>The device can be used both in heating and cooling systems, and it is featured with a wide backlit display for the visualization of all the functional indications and the detected room temperature.</p>	47,20

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>230v TAD02M</p>	3111566TAD02M	<p>SEITRON DIGITAL ROOM THERMOSTAT 230V TAD02M</p> <p>The device can be used both in heating and cooling systems, and it is featured with a wide backlit display for the visualization of all the functional indications and the detected room temperature.</p>	47,52
 <p>24v TAN12</p>	3111566TAN012	<p>SEITRON ELECTRONIC ROOM THERMOSTAT HEATING/COOLING 24V TAN012</p> <p>On/off room thermostat for heating/cooling systems. Special pin stop system for limiting the setpoint range. Internal sensor and facility for remote sensor (STL NTS A 150 or STA NP3).</p>	29,16
 <p>230v TAN01M</p>	3111566TAN01M	<p>SEITRON ELECTRONIC ROOM THERMOSTAT HEATING/COOLING 230V TAN01M</p> <p>On/off room thermostat for heating/cooling systems. Special pin stop system for limiting the setpoint range. Internal sensor and facility for remote sensor (STL NTS A 150 or STA NP3).</p>	47,60
 <p>FREETIME EVO TCD02B</p>	3111566TCD02B	<p>SEITRON FREETIME EVO TCD02B ELECTRONIC PROGRAMMABLE BATTERY POWERED THERMOSTAT</p> <p>Wall-mounted, battery powered daily programmable electronic thermostat, allows to set the room temperature easily and precisely.</p>	100,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>MAGICTIME TCW01B 3111</p>	3111566TCW01B	<p>SEITRON WIRELESS WEEKLY PROGRAMMABLE THERMOSTAT BATTERY POWERED MAGICTIME TCW01B</p> <p>Battery powered digital programmable thermostat, heating/cooling modes, up to 7 different programs with 48 time cycles per day and 3 temperature levels (Comfort, Economy, Off/Antifrost). Redundant data transmission, every 3 minutes. Control of pellet stoves and floor heating systems. Anti-frost function. Holidays(1h x 99dd.) and cleaning mode. Internal sensor and facility for remote sensor. Facility for switching on via telephone.</p>	104,76
	3111888SAUTER2	CH PROGRAMMATISTIS SAUTER 2 ZONE	128,00
	3112221TH15N	VENTS HUMIDITY SENSOR TH-1,5 N	34,50
 <p>LPG detector +valve Beagle KDGR 3112</p>	3112566KDGR	<p>SEITRON BEAGLE GAS DETECTOR + VALVE KDGR 230V</p> <p>Kit including SEGUGIO LPG (RGDGPLMP1R) gas detector with 230V~ power supply, 1 230V~ or 12V~ cut-off valve (EVGPAFM020 N.O. 230V - EVGPCFM020 N.C. 230V - EVGBAF1020 N.O. 12V - EVGRCF1020 N.C. 12V) with manual reset, 2 x 3/4"to 1/2" nipples.</p>	153,00
 <p>RELIANCE MULTISAFE LEAK DETECTOR 3112</p>	3112710LEKP1	RELIANCE MULTISAFE LEAK DETECTOR 1"	1285,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>RELIANCE FLOOR LEAK SENSOR</p> <p>RWC 3112</p>	3112710LEKP100050	RELIANCE FLOOR LEAK SENSOR FOR MULTISAFE DETECTOR	336,00
 <p>Pressure Controller Kaislen PC13A 1.5-3bar 1ph max: 1.1kw 10A 10bar</p> <p>KAISLEN</p>	3113106PC13A	KAISLEN PRESSURE CONTROLLER PC13A 1.5 - 3 BAR 240v/50hz Adjustable 1.5 - 3 bar Joint screw 1"	29,00
	3113106SKXP22	KAISLEN PRESSURE CONTROLLER KXP22 2.2 BAR (MAX 1.1KW) 240v/50hz Starting pressure 2.2bar Joint screw 1"	29,00
	3113170APFC2FM15	COELBO PRESSCONTROL FLOW TECH COMPACT 2 FM15 1,5BAR 1,5KW Hydraulic connection: G1" M > G1" M Max. power: 2 HP / 1,5 kW, ~1x110-230 V (10 A)	39,00
	3113170APFC2FM22	COELBO PRESSCONTROL FLOW TECH COMPACT 2 FM22 2,2 BAR 1,5kW	39,00
 <p>CONTROLPUMP</p>	3113170APFCFM15	COELBO PRESSCONTROL FLOW TECH CONTROLPUMP FM15 1,5 kW Hydraulic connection: G1" M > G1" F Max. power: 2 HP / 1,5 kW	44,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 COMPACT 22	3113170APFCOMPACT22	COELBO PRESSCONTROL FLOW TECH COMPACT22 3HP 2.2 kW Hydraulic connection: G1"M > G1"M, NPT 1" > NPT 1" Max. power: 3 HP / 2,2 kW, ~1x110-230 V (16 A)	59,00
 OPTIMATIC	3113170APFOPTCF	COELBO PRESSCONTROL FLOW TECH OPTIMATIC FM15 1.5BAR 2 HP / 1,5 kW Hydraulic connection: G1" M > G1" M Max. power: 2 HP / 1,5 kW	62,86
 OPTIMATIC	3113170APFOPTCRM	COELBO REGULATED PRESSCONTROL FLOW TECH OPTIMATIC RM 1.5 3BAR	54,00
 DIGIMATIC / DIGIPLUS	3113170BPFDIGIMATIC2	COELBO DIGITAL PRESSCONTROL FLOW TECH DIGIMATIC 2 2.2KW Hydraulic connection: G1"M > G1"M, NPT 1" > NPT 1" Max. power: 3 HP / 2,2 kW, ~1x110-230 V (16 A)	79,00
 3113	3113170BPSSW1	COELBO ELECTRONIC PRESSURE SWITCH SWITCHMATIC 1 2.2kw Hydraulic Connection: G 1/4" F / NPT 1/4" F Power Supply Voltage: ~1x110-230 V Pump Connection: ~1x110-230 V (16 A)	35,00
 COELBO ELECTRONIC PRESSURE SWITCH SWITCHMATIC 2 2.2kw	3113170BPSSW2	COELBO ELECTRONIC PRESSURE SWITCH SWITCHMATIC 2 2.2kw Hydraulic Connection: G 1/4" F / NPT 1/4" F Power Supply Voltage: ~1x110-230 V Pump Connection: ~1x110-230 V (16 A)	52,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 EPR	3113170CPFEPGRG114G	COELBO ELECTRONIC PRESSURE REGULATOR G1" 1/4 G 2.2KW Hydraulic connection: G1 1/4" Max. power: 3 HP / 2,2 KW	80,00
 EPR	3113170CPFEPGRG1G	COELBO ELECTRONIC PRESSURE REGULATOR G1"G 2.2KW Hydraulic connection: G1" > G1" Max. power: 3 HP / 2,2 kW ~1x110-230 V (16 A)	75,00
 DPR	3113170DPDPRG1G	COELBO DIGITAL PRESSURE REGULATOR G1"G 3HP - 2.2KW Hydraulic connection: G1" > G1" Max. power: 3 HP / 2,2 kW ~1x110-230 V (16 A)	100,00
	3113170DPDPRMASTER	COELBO PRESS FLOW TECH DPR MASTER 3HP - 2.2KW Hydraulic connection: G1" > G1" Max. power: 3 HP / 2,2 kW ~1x110-230 V (16 A)	112,00
 COELBO INVERTER FOR PUMP ECODRIVE 7,5 A 1PH	3113170EHTSPEECO75	COELBO INVERTER FOR PUMP ECODRIVE 7,5 A 1PH Power Supply Voltage: ~1x230 V Pumps Connection Main: ~1x230 V (7,5 A)	253,00






Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>SPEEDMATIC EASY 3113</p>	3113170FHTSPEMT10	<p>COELBO INVERTER FOR PUMP SPEEDMATIC EASY MT 10 A</p> <p>Power Supply Voltage: ~1x230 V Pumps Connection Main: ~1x230 V (10 A)</p>	340,00
	3113170GHTSB1309TR10	COELBO WALL INVERTER FOR PUMP SPEEDBOX 1309 TT + TR10	583,00
	3113170GHTSBDTR10	COELBO WALL INVERTER FOR 2 PUMPS SPEEDBOX DUO + TR10	574,00
 <p>SPEEDMATIC EASY 3113</p>	3113170HTSPEECO9	<p>COELBO HITECH SPEEDMATIC EASY 9 A</p> <p>Power Supply Voltage: ~1x230 V Pumps Connection Main: ~1x230 V (9 A)</p>	383,00
 <p>PANELMATIC DUO</p>	3113170ZPSPDUOT	COELBO ELECTRONIC PANEL PANELMATIC DUO T 9 A	289,00
 <p>CRAB 3114</p>	31145651CRAB5M12	<p>ELECTRONIC REGULATOR CRAB H05 4G0,75 5M 12/24V</p> <p>12/24 Vdc - Vac</p> <p>Suitable for level monitoring in facilities of clear, rain, industrial and chemical waters.</p>	82,78






Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>CRAB 3114</p>	31145651CRAB5M240	<p>ELECTRONIC REGULATOR CRAB H05 4G0,75 5M 220-240Vac</p> <p>220-240Vac±10% 50/60Hz</p> <p>Suitable for level monitoring in facilities of clear, rain, industrial and chemical waters.</p>	82,78
 <p>SNAKE 3114</p>	31145651SNAKE10M240	<p>ELECTRONIC REGULATOR SNAKE H07 4G1 10M 220-240Vac</p> <p>220-240Vac±10% 50/60Hz</p> <p>Suitable for level monitoring in facilities of clear, rain, industrial and chemical waters.</p>	97,20
 <p>SPIDER 3114</p>	31145651SPIDES5M12	<p>ELECTRONIC REGULATOR SPIDER H07 4G1 5M 500B LOW 12-24V</p> <p>12/24 Vdc - Vac With lenght of batons: 500mm Suitable for level monitoring in facilities of clear, rain, industrial and chemical waters.</p>	153,09
 <p>SPIDER 3114</p>	31145651SPIDES5M240	<p>ELECTRONIC REGULATOR SPIDER H07 4G1 5M 500B 220-240Vac</p> <p>220-240Vac±10% 50/60Hz With lenght of batons: 500mm Suitable for level monitoring in facilities of clear, rain, industrial and chemical waters.</p>	153,09
 <p>LEVEL PROBES TP 3114</p>	31145651TWLPTP	<p>TRIPLE WATER LEVEL PROBE TP - CLEAR WATER</p> <p>FOR SNAKE ELECTRONIC REGULATOR</p>	14,63

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>FOX DRINK 3114</p>	3114565FOXDRINK05M	<p>FOX DRINK ACD 3X1 5M FLOAT SWITCH</p> <p>Totally manufactured with no-toxic material dedicated to alimentary uses and designed for wiring and connection of all appliances and equipments that are intended to permanent immersion in drinking water: water main - drinkable water fountains - drinks and foodstuffs - aquarium - fishponds - swimming pool.</p>	19,28
 <p>FOX 3114</p>	3114565FOXG0510M	FOX G05 H05 3X1 10M FLOAT SWITCH	25,00
 <p>FOX 3114</p>	3114565FOXG055M	FOX G05 H05 3X1 5M FLOAT SWITCH	14,23
 <p>MOUSE 3114</p>	3114565MOUSE05M1000	<p>MOUSE 04 FILB 10000 H05 3X1 5M FLOAT SWITCH</p> <p>Vertical level regulator suitable for narrow spaces. Suitable to control the water level in clean water, rain water, industrial water systems and in systems with water containing chemical substances.</p>	57,83
 <p>MOUSE 3114</p>	3114565MOUSE05M250	<p>MOUSE 04 250B H05 3X1 5M FLOAT SWITCH</p> <p>Vertical level regulator suitable for narrow spaces. Suitable to control the water level in clean water, rain water, industrial water systems and in systems with water containing chemical substances.</p>	40,82








Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>MOUSE 3114</p>	3114565MOUSE05M500	<p>MOUSE 04 500B H05 3X1 5M FLOAT SWITCH</p> <p>Vertical level regulator suitable for narrow spaces. Suitable to control the water level in clean water, rain water, industrial water systems and in systems with water containing chemical substances.</p>	61,24
 <p>MOUSE 3114</p>	3114565MOUSE05M750	<p>MOUSE 04 750B H05 3X1 5M FLOAT SWITCH</p> <p>Vertical level regulator suitable for narrow spaces. Suitable to control the water level in clean water, rain water, industrial water systems and in systems with water containing chemical substances.</p>	70,31
 <p>BRACKET FOR MOUSE 3114</p>	3114565PLBR001	<p>PLASTIC BRACKET FOR FLOAT SWITCHES</p>	4,65
 <p>SHELL 3114</p>	3114565SHELL	<p>SHELL COUNTERWEIGHT 230G YELLOW</p> <p>For float switched FOX & TAURUS</p>	1,93
 <p>TAURUS 3114</p>	3114565TAURUS06M	<p>TAURUS 03 H07 3X1 6M FLOAT SWITCH</p> <p>Three watertight chambers level regulator with a freely suspended trim variation. Unlike traditional floats that floats on the water surface, the TAURUS thanks to its special construction with integrated counterweight, remains underwater.</p> <p>Suitable for level regulation in drainage plants, pumping stations and dirty water systems. Patented</p>	52,16







Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
	3114565TAURUS10M	TAURUS 03 H07 3X1 10M FLOAT SWITCH	63,50
	3114565TAURUSD10M	TAURUS DRINK ACS 3X1 10M BB TP FLOAT SWITCH For drinking water - water mains, drinkable water fountains, drinks and foodstuffs, aquarium, fishponds, swimming pools	67,48
	3114565TAURUSEX10M	TAURUS-EX 05RN8 4G0,75 10M FLOAT SWITCH Suitable in potential explosive environments. Suitable for level regulation in drainage plants, pumping stations and dirty water systems.	107,17
	3115221P31300	VENTS ROTATION SPEED CONTROL P3-1-300	17,74
	3115221RS1300	VENTS ROTATION SPEED CONTROL RS 1 300 Speed controller	31,75
	3115221RS1400	VENTS ROTATION SPEED CONTROL RS 1 400	38,56





Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>VENTS RS-4.0-PS</p>	3115221RS4PS	VENTS SPEED CONTROLLER RS-4,0-PS MAX 4A	86,40
	3115511RC02A	BROFER CONTROL RC2A FOR FAN BVA 7/7 2A FOR BVA 7/7	62,00
	3115511RC05A	BROFER CONTROL RC5A FOR FAN BVA 9/9 & 10/10 5A FOR BVA 9/9, 10/10	68,45
	3115511RC10A	BROFER CONTROL RC10A FOR FAN BVA 12/9 & 12/12 10A FOR BVA 12/9 & 12/12	84,00
 <p>RV2 Fan speed regulator 7A</p>	3115522CORV2	DYNAIR SPEED REGULATOR RV/2 7A	223,00
 <p>RVM Fan speed regulator</p>	3115522CORVM	SPEED REGULATOR RVM 1,5A	100,00
	3115522CORVS	SPEED REGULATOR RVS-5 SPEEDS 0,5A Speed Controller 0.5A	57,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>RVT 3ph-Fan speed regulator</p> <p>3115</p>	3115522CORVT1	DYNAIR SPEED CONTROL RVT/1 4A - THREE PHASE	714,42
 <p>R10 Fan speed regulator</p> <p>3115</p>	3115523COR10TIMER	R10 SPEED REGULATOR	40,00
 <p>RVS/R Fan speed regulator</p> <p>3115</p>	3115523CORVR	RVS/R 5 SPEED REGULATOR 0.5A 5 Speed Controller and Reversible Switch 0.5A	80,00
 <p>H1001 humidity control</p> <p>3116</p>	3116131H1001	HAILIN HUMIDITY CONTROLLER H1001	63,50
	3116523COHYGR	REMOTE HUMIDITY SENSOR R 10 HY 4A The sensor automatically switches ON/OFF the fan according to the detected level of relative humidity, adjustable from 40 to 90%.	67,00
 <p>DIGITAL HYGROMETER DB-GMD</p> <p>3116</p>	3116524DBGMD	DIGITAL HYGROMETER DB-GMD	80,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>thermo-hygrostat THW01B</p> <p>3116</p>	3116566THW01B	<p>SEITRON THYGROS PROGRAMMABLE THERMO-HYGROSTAT BATTERY POWERED THW01B</p> <p>THW01B = Dehumidification only in cooling mode</p> <p>Battery powered programmable thermo-hygrostat, heating/cooling and humidification/dehumidification modes, up to 7 different programs with 48 time cycles per day and 3 temperature and humidity levels (Comfort, Economy, Off/Antifrost). Antifrost function and dew point control. Large backlit LCD. Start optimizer. Holidays (1h x 99dd) and cleaning mode. Facility for switching on via telephone and facility for remote sensor.</p>	104,76
	3118131FISHS2018	HAILIN SENSOR FOR HS2018	8,40
	3118131HS2018	HAILIN SOLAR CONTROLLER HS2018	117,94
 <p>helios-midi TDST24M</p> <p>3111</p>	3118566TDST24M	<p>SEITRON ELIOS MIDI SOLAR CONTROLLER TDST24M</p> <p>3 probes included: 1 probe STLDESL150, 2 probes STLDEIM150</p> <p>Digital differential controller for solar heating plants. Three temperature inputs from NTC sensors and 2 on-off relay outputs + 1 NO/NC auxiliary output for alarm, 1 PWM output and 1 0..10V output. Additional thermostats for driving auxiliary heat sources. All temperatures are displayed.</p> <p>Configuration of 6 different system layouts. Self diagnostic feature, with visual and acoustic alarms.</p>	185,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>DELTA SOL BS3 Solar Controller RESOL 3118</p>	3118631R6883	DELTA SOL BS/3-4PROBE CONT., + 3 PT 1000 PROBES	246,88
	3118631R9073	SRS4-PROBE CONTROLLER, + 4 PT 1000 PROBES	439,83
 <p>MIXING VALVE VMB 3212</p>	3211526CVMB532	CONTROLLI 3-WAY VALVE VMB5 11/4"	146,51
 <p>VMX ZONE VALVE 3212</p>	3211526CVTZ2B	CONTROLLI 4-WAY VALVE 3/4"	50,01
	3211526VSD4	CONTROLLI 3-WAY MOTORIZED BALL VALVE PN32 DN25 1"	65,00
	3211526VSD5	CONTROLLI 3-WAY MOTORIZED BALL VALVE PN16 DN32 1 1/4" Kvs 19.2	142,00
	3211526VSD6	CONTROLLI 3-WAY MOTORIZED BALL VALVE PN16 DN40 1 1/2" Kvs 27.7	260,00








Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
	3211526VSS5	CONTROLLI 2-WAY MOTORIZED BALL VALVE PN32 DN32 11/4" Kvs 100	52,00
	3211630M700600669	MOTOR 24V FOR MK SHUT-OFF VALVES FROM 1/2" TO 2" AS/250/75/00	214,33
	3211808R3025B2	BELIMO 3-WAY DIRECTION VALVE (T) Kvs 26 , 1"	125,00
	3211808R3032B2	BELIMO 3-WAY DIRECTION VALVE (T) Kvs 16 , 11/4"	161,00
	3212630V700600646	3-WAY GLOBE VALVE MK G 11/4" FEMALE	151,96
	3212630V700600649	3-WAY GLOBE VALVE MK G 1" FEMALE	137,21
	3212630V701000028	2-WAY VALVE FOR FAN COILS F2V CONNECTIONS 1/2" F - 3/4" M PN16 KVS 1.6	14,18




Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>FV MOTOR V3EC 3220</p>	3212630V701100361	WAX ACTUATOR FOR FAN COIL VALVE V3 EC 230V - 6.5MM	39,69
 <p>3WAY VALVE FV3 3220</p>	3212630V701600106	3-WAY VALVE FOR FAN COILS FV3 15 EB 15MM (1/2")	35,15
 <p>3 WAY MIX. VALVE S3000 VM 3212</p>	3212630V703000569	3-WAY MIXER DIVERTER VALVE VDM3000R 1" 10PN 6.3KVS	60,10
	3212630V703001773	THERMOSTATIC DIVERTER VALVE TDA 3000-G1-50oC 1"	83,92
	3212630V703001776	CARTRIDGE KIT TDA 3000 55oC	29,94
 <p>ANTI- LEGIONELLA VALVE RWC 3212</p>	3212710ANTIL34	ANTILEGIONELLA VALVE 3/4"	120,00
 <p>SOLAR KIT ESBE VMC322 3310</p>	3212725VLESBE	VAILLANT SOLAR KIT ESBE VMC322	240,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
	3220131BV03G2D32SA	HAILIN AUTOMATIC 2-WAY BALL VALVE BV03 1 1/4" 220V	68,04
 FCU 2-way HL-G2 Hailin 3220	3220131HLG234S2	HAILIN 2WAY MOTOR VALVE 220V HL-G2-3/4-S2	55,00
 FCU 3-way HL-G3 Hailin 3220	3220131HLG334S2	HAILIN 3WAY MOTOR VALVE 220V HL-G3-3/4-S2	60,00
 VL21	3220530VL21230V	BPS 3-WAY VALVE FOR FCU 230V DN3/4" M	130,41
 VL31	3220530VL31230V	BPS 2-WAY VALVE FOR FCU 230V DN3/4" M	110,00
	3220809TSU230	EBERLE THERMAL ACTUATOR FOR FCU 230V NC 120N IP55 SET AUTO	23,50
	322081021311	WATTS 2-WAY VALVE FOR FCU DN25 1" Kvs 5.2	34,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
	3220810213112	WATTS 2-WAY VALVE FOR FCU DN15 1/2" Kvs 1.7	33,00
	3220810213134	WATTS 2-WAY VALVE FOR FCU DN20 3/4" Kvs 2.8	35,50
	3220810313111	WATTS 3-WAY VALVE FOR FCU DN25 1" Kvs 5.2	37,00
	3220810313112	WATTS 3-WAY VALVE FOR FCU DN15 1/2" Kvs 1.7	31,00
	3220810313134	WATTS 3-WAY VALVE FOR FCU DN20 3/4" Kvs 2.8	37,00
	3220888TAC230V	TACONOVA THERMAL ACTUATOR 230V MOTER GIA VALVIDES 230V	22,00
	3220888TAC24V	TACONOVA THERMAL ACTUATOR 24V MOTER GIA VALVIDES 24V	25,00

Price Lists 07/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>MVX 24V MOTOR 3212</p>	3232526CMVACO4104	CONTROLLI 2-POSIT.ACTUATOR 24V	26,59
 <p>SBC CONTROLLI IMMERSION 3244</p>	3232526CSBC	CONTROLLI IMMERSION SENCOR SBC	58,41
 <p>SBF CONTROLLI SENSOR 3244</p>	3232526CSBF	CONTROLLI INDOOR SENSOR SBF	51,26
	3232526MVS210	CONTROLLI ROTARY ACTUATOR FOR BALL VALVES 230Vac 10Nm	126,00
	3232526MVS216	CONTROLLI ROTARY ACTUATOR FOR BALL VALVES 230Vac 16Nm	182,00
	3232526MVS410	CONTROLLI ROTARY ACTUATOR FOR BALL VALVES 24Vac 10 Nm	132,00
	3232526MVS416	CONTROLLI ROTARY ACTUATOR FOR BALL VALVES 24Vac 16Nm	186,00