











Price Lists 02/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>ANT DEHUMIDIFIER ATL-60L/DAY</p>	4511146ATL60L	<p>ANT DEHUMIDIFIER ATL-60L 60L/DAY</p> <p>Specifications: Dehumidification capacity max.: 60 liters/day Air volume: 480 m³/h Water tank: 6.5 liters Applied area: 50-90m² Dimensions (L x W x H): 365 x 395 x 650 mm Power: 0.78kW</p>	785,00
 <p>ANT DEHUMIDIFIER ATL-90L/DAY</p>	4511146ATL90L	<p>ANT DEHUMIDIFIER ATL-90L 90L/DAY</p> <p>Specifications: Dehumidification capacity max.: 90 liters/day Air volume: 1000 m³/h Applied area: 90-130m² Dimensions (L x W x H): 460 x 360 x 840 mm Power: 1.35kW</p>	803,00
	4511647TTK165ECO	<p>TROTEC DEHUMIDIFIER TTK 165 ECO 52L/DAY</p> <p>Specifications: Dehumidification capacity max.: 52 liters/24h Air volume: 350 m³/h Water tank: 5 liters Sound level dB (A): 56 Dimensions (L x W x H): 495 x 455 x 900 mm Weight: 15 kg</p>	760,00
 <p>Dehumidifier TTK26E</p>	4511647TTK26E	<p>TROTEC DEHUMIDIFIER TTK 26 E 10L/DAY</p> <p>Specifications: Dehumidification capacity max.: 10 liters/24h Air volume: 80 m³/h Suitable for room sizes up to: 15 m²/37 m³ Power consumption: 0.24 kW Water tank: 1.8 liters Sound level dB (A): 42 Dimensions (L x W x H): 210 x 295 x 420 mm Weight: 9.5 kg</p>	224,00




Price Lists 02/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
 <p>Dehumidifier TTK66E</p>	4511647TTK66E	<p>TROTEC DEHUMIDIFIER TTK 66 E 24L/DAY</p> <p>Specifications: Dehumidification capacity max.: 24 liters/24h Air volume: 168 m³/h Water tank: 3 liters Sound level dB (A): 46 Dimensions (L x W x H): 245 x 350 x 510 mm Weight: 15 kg</p>	271,00
	4511899COMF12	<p>INVENTOR DEHUMIDIFIER COMFORT 12L</p> <p>Specifications: Capacity: 12L/Day Power consumption: 175W Noise Level: 36 dBA Tank Capacity: 1,6L</p>	167,00
 <p>Commercial Dehumidifier</p>	4521145FDA45H	<p>LUKO FLOOR STANDING DEHUMIDIFIER FD-A4.5H 110L/D</p> <p>Dehumidifying Capacity: 110L/D Covered Area: 120 m² Air Flow Rate: 1050 m³/hr Power Rating: 1.0kW Voltage: 220V / 1PH / 50Hz Current: 4.5A Motor : AC Type or EC</p>	1530,00
 <p>FLOOR STANDING DEHUMIDIFIER FD-A8.5H 204L/D</p>	4521145FDA85H	<p>LUKO FLOOR STANDING DEHUMIDIFIER FD-A8.5H 204L/D</p> <p>Dehumidifying Capacity: 204L/D Covered Area: 200 m² Working temp: 21~25C Required humidity: 50~55%RH</p>	3370,00



Price Lists 02/04/2026

Photo	ARIMEC Code	Description	Price (EUR) + VAT
<p>DUCT DEHUMIDIFIER WITH SINGLE AIR FLOW FD-S100L</p> 	4531145FDS100L	LUKO DUCT DEHUMIDIFIER WITH SINGLE AIR FLOW FD-S100L	2650,00